



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/674,522	09/30/2003	James Wilkie	SSI-011DV2	4140

7590

01/26/2006

Dr. James Wilkie
Surgical Sealants, Inc.
150 New Boston Street
Woburn, MA 01801

EXAMINER

TELLER, ROY R

ART UNIT

PAPER NUMBER

1654

DATE MAILED: 01/26/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/674,522

Applicant(s)

WILKIE ET AL.

Examiner

Roy Teller

Art Unit

1654

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 September 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 168-175 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 168-175 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>9/03</u> . | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 1654

DETAILED ACTION

This office action is in response to the preliminary amendment, received 9/30/03, in which claims 1-167 were cancelled.

Claims 168-175 are pending.

Information Disclosure Statement

The information disclosure statement, received 9/30/03, is acknowledged. A signed copy is enclosed hereto.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 168-175 are rejected under 35 U.S.C. 103(a) as being unpatentable over Labroo et al (USPN 5,428,014).

Art Unit: 1654

The instant invention is drawn to a method for controlling the viscosity of a polymer-based tissue sealant or adhesive comprising the step of: partially cross-linking the polymer by adding a known mole percentage of a cross-linker to the polymer prior to applying the sealant or adhesive to the tissue, wherein the mole percentage is less than that which would cause complete cross-linking of the polymer.

Labroo et al. teaches transglutaminase cross-linkable polypeptides useful in tissue sealant and wound healing formations.. In a preferred embodiment, coupling is achieved by carbodiimide-mediated coupling using EDCI : 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride, to obtain the polymers. The degree of cross-linking can be varied to provide the desired mechanical properties (such as flexibility and tensile strength). Labroo discloses a tissue adhesive kit wherein the transglutaminase activator is thrombin and wherein the kit further contains a diluent. See, e.g., for example, abstract, column 13, lines 48-49, 53-54, 57-58, 66-68 and claims 35 and 36.

From the teaching of the reference, it is apparent that one of ordinary skill in the art would have had a reasonable expectation of success in producing the claimed invention. Therefore, the invention as a whole was *prima facie* obvious to one of ordinary skill in the art at the time the invention was made, as evidenced by the reference, especially in the absence of evidence to the contrary.

Conclusion

All claims are rejected.

Art Unit: 1654

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Roy Teller whose telephone number is 571-272-0971. The examiner can normally be reached on Monday-Friday from 5:30 am to 2:00 pm..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bruce Campell, can be reached on 571-272-0974. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

RT
1654
1/19/06
RT



BRUCE R. CAMPPELL, PH.D
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600